

SK (Guangzhou) Electronic Technology Co., Limited.







Contact person:Dempsey E-mail:dempsey@skledtech.com Tel/whatsapp/wechat:86 180 7024 2730 Phone:020-87495753 www.skledtech.com




Add: NO.88 Chengtai Road, Taihe Town, Baiyun District, Guangzhou, Guangdong, China




## E-catalogs of LED Headlight Bulbs

Series	Beam	PART NO.	Headlight Pictures	Production Specification	Package
K50 PRO	Single beam	H1/H7/H11/9005/9006/9012		<ol style="list-style-type: none"> <li>Power:50W</li> <li>Operating Vltage:9-16V DC</li> <li>LED Chip:Adopted intelligent light source, long lifespan and high brightness of 6pcs 3570 CSP LED Chips *2</li> <li>Color:Silver&amp;Blue</li> <li>Color Temperature:6500K</li> <li>Material:Aluminum alloy material with high-speed fans for cooling well</li> <li>Lumen:6000LM</li> <li>Lifetime:30,000hours</li> <li>Warranty:12months</li> <li>With Fans</li> <li>CANBUS &amp; EMC; EXTREMELY 300% BRIGHT; Perfect beam pattern without dark spots or shadowed areas, don't dazzle oncoming traffic, No glare to other drivers.</li> </ol>	<p>QTY: 50 SETS/CTN N.W: 15.50-16.50 KG/CTN G.W: 16.50-17.50 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 77*44*29.5 CM</p>
	Hi low beam	H4			
K2 PRO	Single beam	H1/H3/H7/H11/9005/9006/9012		<ol style="list-style-type: none"> <li>Power:33W</li> <li>Operating Vltage:9-16V DC</li> <li>LED Chip:Use imported light source, high brightness, high Intensity CSP LED Chips *2</li> <li>Color:Black&amp;Red</li> <li>Color Temperature:6500K</li> <li>Material:Aluminum alloy material with cooling fans helps heat dissipation.</li> <li>Lumen:4000LM</li> <li>Warranty:12months</li> <li>With Fans</li> <li>High power with canbus,can decode most of cars,the decode rate can reach 80% cars;</li> </ol>	<p>QTY: 50 SETS/CTN N.W: 14.75-15.75 KG/CTN G.W: 15.75-16.75 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 77*44*29.5 CM</p>
	Hi low beam	H4			
K7	Single beam	H1/H3/H7/H11/880/9005/9006/9012		<ol style="list-style-type: none"> <li>Power:30W</li> <li>Operating Vltage:9-16V DC</li> <li>LED Chip:High Intensity CSP LED Chips *2</li> <li>Color:Silver &amp; Black</li> <li>Color Temperature:6500K</li> <li>Material:Adopted double cooper sheets and cooling fan for better heat dissipation.</li> <li>Lumen:3500LM</li> <li>Lifetime:30,000hours</li> <li>Warranty:12months</li> <li>With Fans</li> <li>EMC Anti-interference &amp; Lamp chip spacing is only 1.8mm, very focused; SKLED's private design,outside diver, is popular in the market; Mini size,easy to install and save your time.</li> </ol>	<p>QTY: 50 SETS/CTN N.W: 13.50-15.20 KG/CTN G.W: 14.50-16.20 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 77*44*29.5 CM</p>
	Hi low beam	H4			




K11	Single beam	H1/H3/H7/H11/9005/9006/9012		<ul style="list-style-type: none"> <li>1.Power:40W</li> <li>2.Operating Vltage:9-16V DC</li> <li>3.LED Chip:Adopted intelligent light source, long lifespan and high brightness of 3pcs 3570 CSP LED Chips *2</li> <li>4.Color:Silver&amp;Blue</li> <li>5.Color Temperature:6500K</li> <li>6.Material:Aluminum alloy material with high-speed fans for cooling well</li> <li>7.Lumen:4800LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.CANBUS &amp; EMC; The brightest brightness and amazing beam cut-off pattern for safer driving.</li> </ul>	QTY: 30 SETS/CTN N.W: 11.75-13.25 KG/CTN G.W: 12.75-14.25 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 48*43*29.5 CM
	Hi low beam	H4			
K2	Single beam	H1/H3/H7/H11/9005/9006/9012		<ul style="list-style-type: none"> <li>1.Power:33W</li> <li>2.Operating Vltage:9-16V DC</li> <li>3.LED Chip:Use imported light source, light shape more focused, high Intensity CSP LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6500K</li> <li>6.Material:Aluminum alloy material with cooling fans helps heat dissipation.</li> <li>7.Lumen:3900LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.CANBUS &amp; EMC; High power,high brightness,can decode some universal cars,like Japanese cars, Korean cars.</li> </ul>	QTY: 30 SETS/CTN N.W: 10.0-11.0 KG/CTN G.W: 11.0-12.0 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 48*43*29.5 CM
	Hi low beam	H4			
K9	Single beam	H1/H3/H7/H11/9005/9006/9012		<ul style="list-style-type: none"> <li>1.Power:30W</li> <li>2.Operating Vltage:9-16V DC</li> <li>3.LED Chip:Use Korean imported chip, high Intensity CSP LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6500K</li> <li>6.Material:Adopt pure cooper and with fan for better thermal conductivity.</li> <li>7.Lumen:3600LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.CANBUS &amp; EMC; IP65 can work in all kind of environment and bad weather; Easy to install, Brightest lamp.</li> </ul>	QTY: 30 SETS/CTN N.W: 11.55-12.65 KG/CTN G.W: 12.55-13.65 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 47*43*29.5 CM
	Hi low beam	H4			

K1-X	Single beam	H1/H3/H7/H11/880/9005/9006/9012	 	<ol style="list-style-type: none"> <li>Power:28W</li> <li>Operating Vltage:9-16V DC</li> <li>LED Chip:High Intensity CSP LED Chips *2</li> <li>Color:Silver</li> <li>Color Temperature:6500K</li> <li>Material:Aluminum film; Adopt cooper pipe and cooling fan for better heat dissipation.</li> <li>Lumen:3000LM</li> <li>Lifetime:30,000hours</li> <li>Warranty:12months</li> <li>With Fans</li> <li>EMC Anti-interference; SKLED's private design, all-in-one external diver,is popular in the market; Small size,easy to install helps save your time.</li> </ol>	QTY: 50 SETS/CTN N.W: 15.5-17.5 KG/CTN G.W: 16.5-18.5 KG/CTN Box Size: 14.5*15.5*5.5 CM Ctn Size: 77*33*29.5CM
	Hi low beam	H4			
K8F	Single beam	H1/H3/H7/H11/880/9005/9006	 	<ol style="list-style-type: none"> <li>Power:26W</li> <li>Operating Vltage:9-16V DC</li> <li>LED Chip:High Intensity CSP LED Chips *2</li> <li>Color:Silver</li> <li>Color Temperature:6500K</li> <li>Material:Aluminum film; Adopt cooper pipe and cooling fan for better heat dissipation</li> <li>Lumen:2800LM</li> <li>Lifetime:30,000hours</li> <li>Warranty:12months</li> <li>With Fans</li> <li>EMC Anti-interference &amp; 0.1SEC Start, 300% LUM increase; SKLED's private design, all-in-one inside diver, is popular in the market; Small size,easy to install.</li> </ol>	QTY: 50 SETS/CTN N.W: 12-13.5 KG/CTN G.W: 12.5-14.5 KG/CTN Box Size: 17.2*13.2*5.6 CM Ctn Size: 68*36*29.5 CM
	Hi low beam	H4/9004/9007/H13			
K6	Single beam	H1/H3/H7/H11/880/9005/9006/9012	 	<ol style="list-style-type: none"> <li>Power:25W</li> <li>Operating Vltage:9-16V DC</li> <li>LED Chip:Exclusive customized CSP LED Chips *2</li> <li>Color:Yellow+Blue</li> <li>Color Temperature:6500K</li> <li>Material:Aluminum film, Adopt cooper pipe and cooling fan for better heat dissipation</li> <li>Lumen:2700LM</li> <li>Lifetime:30,000hours</li> <li>Warranty:12months</li> <li>With Fans</li> <li>Single substrate and doublesided patch technology, Instant start; SKLED's private design, all-in-one Inside diver,is popular in the market; Small size,easy to install.</li> </ol>	QTY: 50 SETS/CTN N.W: 11-12.5 KG/CTN G.W: 11.5-13.5 KG/CTN Box Size: 17.2*13.2*5.6 CM Ctn Size: 68*36*29.5 CM
	Hi low beam	H4			

K9-S 3 Colors	Single beam	H1/H7/H11/9005/9006/9012  3000K Yellow 4300K Warm White 6500K Cool White All in one!		1.Power:30W/PCS 2.Operating Vltage:9-16V DC 3.LED Chip:High Intensity CSP LED Chips *2 4.Color:Silver 5.Color Temperature:3000K, 4300K, 6500K 6.Material:Smart Efficient Cooling System, Built-In Cooling Fan and Space Turbo Cooling Technology, made with high quality aluminum alloy body 7.Lumen:3600LM 8.Lifetime:30,000hours 9.Warranty:12months 10.With Fans 11.Light color:3000K Yellow, 4300K Warm White, 6500K Cool White; All in one 12.Tri-Color High Power CSP Chip Super Bright; 3-In-1 with perfect beam pattern car inspection standard; minimim glare for incoming traffic; Easy direct plug and play installation for most vehicles.	QTY: 30 SETS/CTN N.W: 11.55-12.65 KG/CTN G.W: 12.55-13.65 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 47*43*29.5 CM
	Hi low beam	H4  3000K Yellow 4300K Warm White 6500K Cool White All in one!			
K7-S 3 Colors	Single beam	H1/H3/H7/H11/880/9005/9006/9012  3000K Yellow 4300K Warm White 6500K Cool White All in one!		1.Power:30W/PCS 2.Operating Vltage:9-16V DC 3.LED Chip:High Intensity CSP LED Chips *2 4.Color:Silver 5.Color Temperature:3000K, 4300K, 6500K 6.Material:Aluminum alloy materials; High speed cooling fan system 7.Lumen:3500LM 8.Lifetime:30,000hours 9.Warranty:12months 10.With Fans 11.Light color:3000K Yellow, 4300K Warm White, 6500K Cool White; All in one 12.Usage: application for rainy day, fog day, snow day, dark day, sand-dust storm and so on. It is not only fog bulbs, but also daytime running lights; Just directly plug and play, easy to install. All in one kits, Just directly plug and play.	QTY: 50 SETS/CTN N.W: 13.50-15.20 KG/CTN G.W: 14.50-16.20 KG/CTN Box Size: 21*15.5*5.5 CM Ctn Size: 77*44*29.5 CM
	Hi low beam	H4  3000K Yellow 4300K Warm White 6500K Cool White All in one!			
K1-X-S 3 Colors	Single beam	H1/H3/H7/H11/880/9005/9006/9012  3000K Yellow 4300K Warm White 6500K Cool White All in one!		1.Power:28W/PCS 2.Operating Vltage:9-16V DC 3.LED Chip:High Intensity CSP LED Chips *2 4.Color:Silver 5.Color Temperature:3000K, 4300K, 6500K 6.Material:Aluminum film; Adopt cooper pipe and cooling fan for better heat dissipation. 7.Lumen:3000LM 8.Lifetime:30,000hours 9.Warranty:12months 10.With Fans 11.Light color:3000K Yellow, 4300K Warm White, 6500K Cool White; All in one 12.Three color temperatures, bright and impressive thermal solution; Constant current adopted 99% decoding; Waterproof and dustproof for bad situations.	QTY: 50 SETS/CTN N.W: 15.5-17.5 KG/CTN G.W: 16.5-18.5 KG/CTN Box Size: 14.5*15.5*5.5 CM Ctn Size: 77*33*29.5CM
	Hi low beam	H4  3000K Yellow 4300K Warm White 6500K Cool White All in one!			

<p><b>SKLED's H4 MINI Len</b></p> <p><b>Hi low beam</b></p>	<p>H4</p>		<p>1.Power:35W/PCS  2.Operating Vltage:9-16V DC  3.LED Chip:High Intensity CSP LED Chips *2  4.Color:Black  5.Color Temperature:6500K  6.Material:Aluminum film  7.Lumen:4000LM  8.Lifetime:30,000hours  9.Warranty:12months  10.With Fans;  11.Mainly used for those cars assemble H4 headlamp, which only have the Reflective cup, no projector lens, make to better light shape, more light.</p>	<p>QTY: 50 SETS/CTN  N.W: 20.00 KG/CTN  G.W: 21.00 KG/CTN  Box Size: 21*15.5*5.5 CM  Ctn Size: 77*44*29.5 CM</p>	
<p>7S</p>	<p>Single beam</p>	<p>H1/H3/H7/H11/880/9005/9006</p>		<p>1.Power:30W/PCS  2.Operating Vltage:9-16V DC  3.LED Chip:High Intensity, Better cut-off shape, Brightness Imported CSP LED Chips *2  4.Color:Silver  5.Color Temperature:6500K  6.Material:A specially aluminium tape for better heat dissipation and high lumen  7.Lumen:3500LM  8.Lifetime:30,000hours  9.Warranty:12months  10.Copper Strip Heatsink Fanless Design  11.Customized powerful core source LED, Thickened copper braid for faster heat dissipation, low power consumption; Precise body design for easy installation, well fit for 99.9% cars; Advanced shielded wire for safer equipment.</p>	<p>QTY: 50 SETS/CTN  N.W: 12.50-13.50 KG/CTN  G.W: 13.50-14.50 KG/CTN  Box Size: 21*15.5*5.5 CM  Ctn Size: 77*44*29.5 CM</p>
<p>Hi low beam</p>	<p>H4</p>				
<p><b>LED D1</b></p>	<p>D1/D3</p>		<p>1.Power:55W/PCS  2.Operating Vltage:9-16V DC  3.LED Chip:High Intensity CSP LED Chips *2  4.Color:Silver  5.Color Temperature:6500K  6.Material:Aluminum film  7.Lumen:6300LM  8.Lifetime:30,000hours  9.Warranty:12months  10.With Fan  11.55W Universal car Headlight.</p>	<p>QTY: 50 SETS/CTN  N.W: 17.50 KG/CTN  G.W: 18.50 KG/CTN  Box Size: 21*15.5*5.5 CM  Ctn Size: 77*44*29.5 CM</p>	

LED D2	D2/D4		<ol style="list-style-type: none"> <li>1.Power:42W/PCS</li> <li>2.Operating Vltage:9-16V DC</li> <li>3.LED Chip:High Intensity CSP LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6500K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:5000LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fan</li> <li>11.42W Universal car Headlight.</li> </ol>	<p>QTY: 50 SETS/CTN  N.W: 12.50 KG/CTN  G.W: 13.50 KG/CTN  Box Size: 21*15.5*5.5 CM  Ctn Size: 77*44*29.5 CM</p>	
HID Ballast to LED	D1/D2/D3/D4/D5/D8		<ol style="list-style-type: none"> <li>1.Power:55W/PCS</li> <li>2.Operating Vltage:9-16V DC</li> <li>3.LED Chip:High Intensity CSP LED Chips</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6500K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:6300LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fan</li> <li>11.HID Ballast to LED D Series +200%, No need to find 12V Docking, 400V -25KV direct docking, 100% pass Canbus, 100% matches original HID Ballast</li> </ol>	<p>QTY: 50 SETS/CTN  N.W: 17.50 KG/CTN  G.W: 18.50 KG/CTN  Box Size: 21*15.5*5.5 CM  Ctn Size: 77*44*29.5 CM</p>	
H15	With DRL With Super Canbus		<ol style="list-style-type: none"> <li>1.Power:30W/PCS</li> <li>2.Operating Vltage:9-16V DC</li> <li>3.LED Chip:High Intensity CSP LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6500K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:3600LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fan</li> <li>11.30W Universal car Headlight.</li> </ol>	<p>QTY: 50 SETS/CTN  N.W: 15.00 KG/CTN  G.W: 16.00 KG/CTN  Box Size: 21*15.5*5.5 CM  Ctn Size: 77*44*29.5 CM</p>	
M8	Single beam	H1/H3/H7/H11/880/9005/9006/9012		<ol style="list-style-type: none"> <li>1.Power:30W/PCS</li> <li>2.Operating Vltage:9-32V DC</li> <li>3.LED Chip:High Intensity COB LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6000K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:4500LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.Built-in fan, all-in-one model, Replace of C6</li> </ol>	<p>QTY: 50 SETS/CTN  N.W: 11-13 KG/CTN  G.W: 11.5-13.5 KG/CTN  Box Size: 18*12*5 CM  Ctn Size: 62*38*27 CM</p>
	Hi low beam	H4			

K8S	Single beam	H1/H3/H7/H11/880/9005/9006/9012		<ul style="list-style-type: none"> <li>1.Power:30W/PCS</li> <li>2.Operating Vltage:9-32V DC</li> <li>3.LED Chip:High Intensity COB LED Chips *2</li> <li>4.Color:Gray</li> <li>5.Color Temperature:6000K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:4500LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.Powerful Chips with Improve 60% light efficiency, Unique heat sink design with extend heat dissipation surface, high flow air intake, quicker cooling.</li> </ul>	QTY: 50 SETS/CTN N.W: 11-13 KG/CTN G.W: 11.5-13.5 KG/CTN Box Size: 18*12*5 CM Ctn Size: 62*38*27 CM
	Hi low beam	H4			
K1	Single beam	H1/H3/H7/H11/880/9005/9006/9012		<ul style="list-style-type: none"> <li>1.Power:30W/PCS</li> <li>2.Operating Vltage:9-36V DC</li> <li>3.LED Chip:High Intensity Imported LATEST COB LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:6000K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:4500LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.EMC Anti-interference &amp; Mini size, easy to install.</li> </ul>	QTY: 50 SETS/CTN N.W: 15.5-17.5 KG/CTN G.W: 16.5-18.5 KG/CTN Box Size: 14.6*15.5*5.6 CM Ctn Size: 74*33*29.5 CM
	Hi low beam	H4			
K1-S Plus 3 Colors	Single beam	H1/H3/H7/H11/880/9005/9006/9012  3000K / 4300K / 6000K		<ul style="list-style-type: none"> <li>1.Power:30W/PCS</li> <li>2.Operating Vltage:9-36V DC</li> <li>3.LED Chip:High Intensity Imported LATEST COB LED Chips *2</li> <li>4.Color:Silver</li> <li>5.Color Temperature:3000K/4300K/6000K</li> <li>6.Material:Aluminum film</li> <li>7.Lumen:4500LM</li> <li>8.Lifetime:30,000hours</li> <li>9.Warranty:12months</li> <li>10.With Fans</li> <li>11.EMC Anti-interference &amp; Mini size, easy to install.</li> </ul>	QTY: 50 SETS/CTN N.W: 15.5-17.5 KG/CTN G.W: 16.5-18.5 KG/CTN Box Size: 14.6*15.5*5.6 CM Ctn Size: 74*33*29.5 CM
	Hi low beam	H4  3000K / 4300K / 6000K			